

LANDSCAPE AND GARDEN LIGHTING



WHERE LIGHT IS

Platek is an international company projected to innovate in the field of architectural and decorative outdoor lighting. The range of products includes integrated architectural lighting systems consisting of floor recessed concealed lighting, appliques, suspensions, projectors and posts. All these products have an optical systems with LED technology, managed internally by the company. The excellent know how of the Donati Group - to which Platek belongs - in metal casting allowed the company to design and realize increasingly compact and high-performance lighting fixtures, both in terms of luminous power and energy efficiency.

Platek investigates the relationship between man and the environment to improve quality of life through efficient and sustainable lighting, bringing the right quantity of light where needed in order to explore new ways of reviving residential spaces, to enhance the architecture, the historical and the cultural heritage of the area, and to create luminous landscapes in green areas.

Danesi & Buzzoni

ETEREA outdoor table lamp



ETEREA medium applique



ETEREA medium battery lamp



outdoor table lamp



ETEREA 2.0
large

IP65
IK 08

215 x 215 x h. 455 mm
5 m cable length



WHITE LED → h. 455 mm

3000K CRI>80
220-240V 50/60Hz ⚡

2700K / 4000K
available on request



94 14 819 .07
corten colour



17,5W | 735 lm (*)
114° diffuse beam
420 cd/klm


battery lamp



ETEREA 2.0
medium
battery

IP65
IK 07

150 x 150 x h. 300 mm
USB 1 m cable included
battery autonomy: 6 hours



WHITE LED → h. 300 mm

3000K CRI>90
battery ⚡

2700K
available on request



94 14 219 .02
white colour



2,8W | 275 lm (*)
100° diffuse beam
420 cd/klm

(*) Real Data


applique



ETEREA 2.0
medium
applique

IP65
IK 08

150 x 150 x h. 300 mm
IP68 connector included



COB LED → h. 300 mm

3000K CRI>80
220-240V 50/60Hz ⚡

2700K / 4000K
available on request



94 14 419 .07
corten colour



9,6W | 385 lm (*)
114° diffuse beam
400 cd/klm

(*) Real Data

Marco Acerbis

MESH bollard



MESH outdoor table lamp



MESH applique





MESH bollard



MESH downlight

outdoor table lamp



MESH
outdoor table lamp

IP65
IK 07

battery autonomy: 6 hours

ø 200 × h. 420 mm



WHITE LED

3000K CRI>90
battery



32 55 116 .09
bronze colour



4,5W | 115 lm (*)
87° diffuse beam

bollard



MESH
bollard

IP65
IK 07

ø 200 x h. 800 mm

IP68 connector included



WHITE LED

3000K CRI>90
220-240V 50/60Hz

2700K / 4000K
available on request



32 40 216 .09
bronze colour



12W | 310 lm (*)
87° diffuse beam
537 cd/klm

(*) Real Data

applique



MESH
applique

IP65
IK 06

ø 200 × h. 190 mm

IP68 connector included



WHITE LED

3000K CRI>90
220-240V 50/60Hz

2700K / 4000K
available on request



32 10 116 .09
bronze colour



12W | 310 lm (*)
87° diffuse beam
537 cd/klm

downlight



MESH
downlight

IP65
IK 07

ø 200 x h. 480 mm

IP68 connector included



WHITE LED

3000K CRI>90
220-240V 50/60Hz

2700K / 4000K
available on request



32 70 116 .09
bronze colour



12W | 310 lm (*)
87° diffuse beam
537 cd/klm

(*) Real Data



MESH XL downlight

floor




MESH XL
floor

IP65
IK 07

ø 500 x h. 1900 mm

3 m cable length
(C/W IP44 SCHUKO plug)



WHITE LED

3000K CRI>90
220-240V 50/60Hz ⊕
TRIAC dimmable

2700K / 4000K
available on request



32 50 816 .09
bronze colour



27W | 1520 lm (*)
82° diffuse beam
560 cd/klm

downlight




MESH XL
downlight

IP65
IK 07

ø 500 x h. 635 mm

IP68 connector included



WHITE LED

3000K CRI>90
220-240V 50/60Hz ⊕
TRIAC dimmable

2700K / 4000K
available on request



32 70 616 .09
bronze colour



27W | 1620 lm (*)
82° diffuse beam
560 cd/klm

(*) Real Data

FLAMINGO

PLATEK - LANDSCAPE AND GARDEN LIGHTING

Sara Moroni

PLATEK - LANDSCAPE AND GARDEN LIGHTING

FLAMINGO bollard



FLAMINGO floor



FLAMINGO applique



FLAMINGO floor



FLAMINGO floor



FLAMINGO floor

floor




FLAMINGO
floor

IP65
IK 06

h. 1500 mm
h. 1900 mm

5 m cable length
(C/W IP44 SCHUKO plug)



WHITE LED

3000K CRI>80
220-240V 50/60Hz ⊕
TRIAC dimmable

2700K / 4000K
available on request

→ h. 1500 mm



30 50 216 .09
bronze colour



7,5W | 385 lm (*)
75° diffuse beam
680 cd/klm

→ h. 1900 mm



30 50 316 .09
bronze colour



7,5W | 385 lm (*)
75° diffuse beam
680 cd/klm


applique



FLAMINGO
applique

IP65
IK 06

1400 mm



WHITE LED

3000K CRI>80
220-240V 50/60Hz ⊕
TRIAC dimmable

2700K / 4000K
available on request



30 10 216 .09
bronze colour



7,5W | 385 lm (*)
75° diffuse beam
680 cd/klm

(*) Real Data



CHIODO spike



CHIODO spike



CHIODO spike

spike




CHIODO
spike

IP65
IK 05

ø 180 × h. 605 mm
ø 180 × h. 1105 mm
ø 180 × h. 1705 mm

h. 600 mm: 4,4 m cable length
h. 1100 mm: 3,9 m cable length
h. 1700 mm: 3,3 m cable length



COB WHITE LED

3000K CRI>80
220-240V 50/60Hz ⊕

2700K / 4000K
available on request

→ h. 600 mm



94 02 116 .01
colour black



12W | 595 lm (*)
93° diffuse beam
400 cd/klm

→ h. 1100 mm



94 02 216 .01
colour black



12W | 595 lm (*)
93° diffuse beam
400 cd/klm

→ h. 1700 mm



94 02 316 .01
colour black



12W | 595 lm (*)
93° diffuse beam
400 cd/klm

(*) Real Data





ESAGONO



ESAGONO



ESAGONO spike

mobile product




ESAGONO
mobile product

IP65
IK 05

600 mm
1200 mm

5 m cable length

orientable 360°



WHITE LED

3000K CRI>80
220-240V 0/50/60Hz ⊕

2700K / 4000K
available on request

→ 600 mm



84 86 614 .06
colour grey



11W | 375 lm (*)
orientable 360°
sandblasted
71° - 508 cd/klm

→ 1200 mm



84 86 616 .06
colour grey



22W | 750 lm (*)
orientable 360°
sandblasted
71° - 508 cd/klm

(*) Real Data

Sara Moroni





FROG floodlight



FROG floor





FROG floodlight

floor




FROG
floor

IP66
IK 08

3 m cable length

h. 2300 mm



COB WHITE LED

3000K CRI>80
220-240V 50/60Hz ⊕
TRIAC dimmable

2700K / 4000K
available on request



88 00 011 .01
colour black

9,6W | 655 lm (*)
26° medium beam
3090 cd/klm



88 00 013 .01
colour black

9,6W | 595 lm (*)
40° large beam
3090 cd/klm



88 00 018 .01
colour black

9,6W | 570 lm (*)
102° extra large beam
400 cd/klm

accessories



89 51 230 .01
colour black

floor
h. 2300 mm
(max. 3 lights Frog)

(*) Real Data

NANO / NANO XL floodlight






NANO XL floodlight



NANO XL floodlight



NANO floodlight



NANO floodlight



NANO XL floodlight





NANO XL floodlight

floodlight




NANO
NANO XL
floodlight

IP66
IK 08

ø 35 x h. 63 mm
ø 50 x h. 90 mm

5 m cable length



NANO floodlight

WHITE LED

3000K CRI>80
12V DC ⚡
alimentatore da ordinare
separatamente

2700K / 4000K
available on request



94 05 011 .01
colour black

2,7W | 175 lm (*)
13° spot beam
12720 cd/klm



94 05 013 .01
colour black

2,7W | 160 lm (*)
20° medium beam
5600 cd/klm



94 05 018 .01
colour black

2,7W | 150 lm (*)
33° large beam
2580 cd/klm



94 05 017 .01
colour black

2,7W | 160 lm (*)
45° x 13°
elliptical beam
4530 cd/klm

NANO XL floodlight

WHITE LED

3000K CRI>80
220-240V 50/60Hz ⚡
TRIAC dimmable

2700K / 4000K
available on request



94 05 111 .01
colour black

7,5W | 205 lm (*)
23° spot beam
3420 cd/klm




94 05 118 .01
colour black

7,5W | 245 lm (*)
30° medium beam
2600 cd/klm


(*) Real Data



PASSO corten steel



PASSO corten steel



PASSO corten steel



PASSO AISI 316L stainless steel inox



PASSO corten steel

grazing lighting / applique




PASSO

IP65
IK 06


110 x 145 mm

AISI 316L stainless steel inox
corten steel

3 m cable length



WHITE LED

3000K CRI>80
24V DC - 

2700K / 4000K
available on request



94 04 411
AISI 316L stainless
steel inox



94 04 711
corten steel



7,5W | 90 lm (*)
1 opening
diffuse beam
98° x 30°
1390 cd/klm



7,5W | 90 lm (*)
1 opening
diffuse beam
98° x 30°
1390 cd/klm

(*) Real Data

Platek Srl
Registered Office: Via Paderno, 19
Head Office: Via Marrocco, 4
25050—Rodengo Saiano (BS), Italy
P.Iva 03320290178
C.F. 03007130176

T +39 030 68 18 201
F +39 030 68 16 567
info@platek.eu
www.platek.eu

Art Direction
Gusto IDS
Platek

Graphic design
Gusto IDS
Platek

Photo
Ottavio Tomasini
Germano Borrelli
Edoardo Delille

© Platek 2020

Platek online
facebook.com/platek
twitter.com/platek
instagram.com/platek
youtube.com/platek

The data in this document are valid on the print date.

Any updates are available on our website www.platek.eu

